

CPDLC AOC Software (Beta 23) – FSUIPC Offsets

Offset 73A5, Length 1, Write only:

MCDU 3:

1-26	A-Z
27-36	0-9
37-42	LLSK 1-6
43-48	RLSK 1-6
49	CLR
51	SP
52	/
53	+/-
54	.
64	ATC COMM
65	MCDU MENU
67	Arrow left
68	Arrow right
69	Arrow up
70	Arrow down
71	BRT
72	DIM

MCDU 1:

73-98	A-Z
99-108	0-9
109-114	LLSK 1-6
115-120	RLSK 1-6
121	CLR
123	SP
124	/
125	+/-
126	.
136	ATC COMM
137	MCDU MENU
139	Arrow left
140	Arrow right
141	Arrow up
142	Arrow down
143	BRT
144	DIM

MCDU 2:

145-170	A-Z
171-180	0-9
181-186	LLSK 1-6

187-192	RLSK 1-6
193	CLR
195	SP
196	/
197	+/-
198	.
208	ATC COMM
209	MCDU MENU
211	Arrow left
212	Arrow right
213	Arrow up
214	Arrow down
215	BRT
216	DIM

DCDU 1:

217	Softkey LO
218	Softkey LU
219	Softkey RO
220	Softkey RU
221	MSG-
222	MSG+
223	PGE-
224	PGE+
225	BRT
226	DIM
227	PRINT

DCDU 2:

228	Softkey LO
229	Softkey LU
230	Softkey RO
231	Softkey RU
232	MSG-
233	MSG+
234	PGE-
235	PGE+
236	BRT
237	DIM
238	PRINT

Others:

239	ATC MSG button
240	Print test page
241	Printer on
242	Printer off
243	ATSU reset on
244	ATSU reset off

245	GSX refueling on
246	GSX refueling off

Offset 73A6, Length 1, Read only:

Bit 0	ATC MSG LED
Bit 1	AC1 powered
Bit 2	DC1 powered
Bit 3	DC2 powered